



## **BONDTUF PRIMER SF 205**

Solvent Free, High Build, Epoxy Resin Primer Coat

**BONDTUF CHEMICALS PVT. LTD.**

AN ISO 9001 : 2015 COMPANY

[www.bondtuf.com](http://www.bondtuf.com)

## BONDUF PRIMER SF 205

Solvent Free, High Build, Epoxy Resin Primer Coat

### DESCRIPTION

Bondtuf Primer SF 205 is a solvent free system based on epoxy resins and curing agents specially selected for their ability to withstand chemical attack. The system consists of pre-weighed base & hardener.

### CHARACTERISTICS

	@ 20°C	@ 30°C
Pot life	: 40 mins	20 mins
Cure time	: 24 hours	18 hours
Maximum time	: 36 hours	15 hours between coats
Compressive strength	: 70 N/mm <sup>2</sup>	
Flexural strength	: 40 N/mm <sup>2</sup>	

### ADVANTAGES / BENEFITS

- ❖ Durable, low maintenance costs.
- ❖ Proven against a wide range of industrial chemicals.
- ❖ Solvent free - no odour during application.
- ❖ Slip resistant - different textures available to suit conditions to avoid slipping. Liquid applied providing complete protection.
- ❖ Available in a wide range of colours to improve the working environment and identify slip hazard areas.

### DIRECTIONS FOR USAGE

The long term durability of any resin floor system is determined by the adhesive bond achieved between the flooring material and the substrate. It is most important therefore that substrates are correctly prepared prior to application

### PRECAUTIONS

Health and safety Bondtuf Primer SF 205 and Bondtuf epoxy coat 202 should not come in contact with skin and eyes or be swallowed. Avoid prolonged inhalation of solvent vapours.

### AREAS OF APPLICATION

Can be used as a primer coat for floor coatings and epoxy screeds

### SUPPLY

Bondtuf Primer SF 205 Comes in 1Kg And 5 Kg packs

## BONDTUF PRIMER SF 205

Solvent Free, High Build, Epoxy Resin Primer Coat

1 Year (to be stored in cool and dry place)

Bondtuf provides a technical advisory service for on-site assistance and advice on admixture selection, evaluation trials and dispensing equipment. Technical data and guidance can be provided for admixtures and other products for use with fresh and hardened concrete.

### IMPORTANT NOTE

Bondtuf products undergo high standard quality checks and every reasonable precaution is taken in the manufacture of all products. BONDTUF continuously strive to ensure the products, recommendations, specification & information given is reliable, correct and accurate. No specific guarantee can be assured as product performance depends not only on quality but also on many other factors which are not under our control. The customer should make his own trails to determine the compatibility of the product for his own purpose. All products are sold subject to our standard terms and conditions of sale.

### BONDTUF PRODUCT RANGE

WATERPROOFING COMPOUNDS | REPAIRS & REHABILITATION AGENTS | ADMIXTURES & CONCRETE TREATMENT  
FOUNDATION GROUTS & FLOOR HARDENER | EPOXY COATINGS & SCREEDS | TILE & STONE FIXING ADHESIVES